

## Lipids and Lipid Metabolism

Vol. 1392, 1998



## Cumulative Contents .

BBA is cited in: Current Contents/Life Sciences - Biological Abstracts - Chemical Abstracts - Index Chemicus - Index Medicus/MEDLINE - Cambridge Scientific Abstracts (CSA) - Excerpta Medica (EMBASE) - Reference Update - Current Awareness in Biological Sciences (CABS)

Information for Contributors	vii	The use of sodium dodecyl sulfate to model the apoli- poprotein environment. Evidence for peptide-SDS	
Review		complexes using pulsed-field-gradient NMR spec- troscopy	
Apolipoprotein-mediated cellular cholesterol efflux S. Yokoyama (Japan)	1	G.W. Buchko, A. Rozek, D.W. Hoyt, R.J. Cushley and Michael A. Kennedy (Canada, USA)	101
Regular papers		Phorbol ester stimulation of phosphatidylcholine synthesis requires expression of both protein kinase $C-\alpha$ and	
Continuous spectrophotometric assay of mammalian phosphoinositide-specific phospholipase $C\delta_1$ with a thiophosphate substrate analog		phospholipase D Z. Kiss, K.S. Crilly and W.H. Anderson (USA)	109
H.S. Hendrickson (USA)	16	Molecular cloning, expression in Escherichia coli, and characterization of a novel L-3-hydroxyacyl coenzyme	
Strong dependence of the lipid peroxidation product		A dehydrogenase from pig liver	
spectrum whether $Fe^{2+}/O_2$ or $Fe^{3+}/O_2$ is used as oxidant		XY. He and SY. Yang (USA)	119
P. Spiteller and G. Spiteller (Germany)	23	Subsection	
Hypocholesterolemic properties of nitric oxide. In vivo and in vitro studies using nitric oxide donors		Regular paper	
E.M. Kurowska and K.K. Carroll (Canada)	41	Role of protein kinase C $\alpha$ in endothelin-1 stimulation of cytosolic phospholipase $A_2$ and arachidonic acid	
Expression of an active phytoene synthase from <i>Erwinia</i> uredovora and biochemical properties of the enzyme		release in cultured cat iris sphincter smooth muscle cells	
U. Neudert, I.M. Martínez-Férez, P.D. Fraser and G. Sandmann (Germany, UK)	51	S. Husain and A.A. Abdel-Latif (USA)	127
A comparative study of the metabolism of $n-9$ , $n-6$ and		The role of platelet activating factor and other lipid mediators in inflammatory angiogenesis	
n-3 fatty acids in testicular cells from immature rat K. Retterstøl, T.B. Haugen, B. Woldseth and B.O.		J.R. Jackson, B. Bolognese, C.A. Mangar, W.C. Hubbard, L.A. Marshall and J.D. Winkler (USA)	145
Christophersen (Norway)	59		
Enzymatic and chemical modifications of lipoprotein(a) selectively alter its lysine-binding functions		Information for Contributors	vii
J. Hoover-Plow and P. Skocir (USA)	73	Review	
Characterization of fatty acid synthase in cell lines derived from experimental mammary tumors  R.A. Hennigar, M. Pochet, D.A. Hunt, A.E. Lukacher,		'Endocannabinoids' and other fatty acid derivatives with cannabimimetic properties: biochemistry and possible physiopathological relevance	
V.J. Venema, E. Seal and M.B. Marrero (USA)	85	V. Di Marzo (Italy)	153

Regular papers		Hepatic lipase affects both HDL and ApoB-containing lipoprotein levels in the mouse	
Bovine seminal platelet-activating factor acetylhydrol- ase: association properties in seminal plasma and with lipoproteins		S. Braschi, N. Couture, A. Gambarotta, B.R. Gauthier, C.R. Coffill, D.L. Sparks, N. Maeda and J.R. Schultz (Canada, USA)	276
S. Soubeyrand, I. Thérien and P. Manjunath (Canada)	176	Antioxidant properties of butein isolated from Dalbergia odorifera	
Intestinal NF-kB is activated, mainly as p50 homodimers, by platelet-activating factor  I.G. De Plaen, XD. Tan, H. Chang, XW. Qu, QP.		ZJ. Cheng, SC. Kuo, SC. Chan, FN. Ko and CM. Teng (Taiwan)	291
Liu and W. Hsueh (USA)	185	Dietary fish oil appears to prevent the activation of phospholipase C-γ in lymphocytes	
Inhibition of 14-kDa PLA <sub>2</sub> by 2-acylamino-alkylphos- pholipids: the influence of amide acidity		P. Sanderson and P.C. Calder (UK)	300
J.T. Kley, C. Unger and U. Massing (Germany)	193	Effects of docosahexaenoic (22:6n-3), tetracosapentae- noic (24:5n-3) and tetracosahexaenoic (24:6n-3) acids	
Electrospray ionization tandem mass spectrometric analysis of sulfatide.		on the desaturation and elongation of n-3 polyunsa- turated fatty acids in trout liver microsomes	
FF. Hsu, A. Bohrer and J. Turk (USA)	202	R.J. Henderson, I.C. Burkow, M. Buzzi and A. Bayer (Norway, UK)	309
TNF-induced modulations of phospholipid metabolism in human breast cancer cells		Interfacial activation, lysophospholipase and transacyl-	
L. Bogin, M.Z. Papa, S. Polak-Charcon and H. Degani (Israel)	217	ase activity of Group VI Ca <sup>2+</sup> -independent phospholipase A <sub>2</sub> YC. Lio and E.A. Dennis (USA)	320
Human lamin B receptor exhibits sterol C14-reductase		1C. Lio and E.A. Dennis (USA)	340
activity in Saccharomyces cerevisiae S. Silve, PH. Dupuy, P. Ferrara and G. Loison		Transport of side-chain oxidized oxysterols in the hu- man circulation	
(France)	233	A. Babiker and U. Diczfalusy (Sweden)	333
Preferential expression of cholesteryl ester transfer pro- tein mRNA by stromal-vascular cells of human adi- pose tissue		Linoleic acid peroxidation by Solanum tuberosum lipoxy- genase was activated in the presence of human 5-lip- oxygenase-activating protein	
T. Radeau, M. Robb, M. McDonnell and R. McPherson (Canada)	245	S. Battu, S. Moalic, M. Rigaud and JL. Beneytout (France)	340
Differential reactivities of hypochlorous and hypo- bromous acids with purified Escherichia coli phos-		Subsection	
pholipid: formation of haloamines and halohy- drins		MgATP has different inhibitory effects on the use of 1-acyl-lysophosphatidylcholine and lyso platelet-activat-	
A.C. Carr, J.J.M. van den Berg and C.C. Winterbourn (New Zealand, USA)	254	ing factor acceptors by neuronal nuclear acetyltrans- ferase activities  R. R. Baker and H. Chang (Canada)	351
Isoprenylation of polypeptides in the nematode Caeno-		A.A. Buker and H. Chang (Canada)	331
rhabditis elegans R.A. Aspbury, M.C. Prescott, M.J. Fisher and H.H.		Cumulative Contents	361
Rees (UK)	265	Author Index	363

